

BEAL



BLACKLINE

# ROPES



## RAIDER 10.5 mm



Type B semi-static ropes specially developed for rapid descent from helicopters by special forces. Their Aramid sheath does not melt, even against a descender overheated by the descent. Whereas classic ropes in polyamide or polyester have a very limited lifetime because their sheath melts, rendering the rope stiff and useless, RAIDER ropes permit multiple descents.

### DATA SHEET

Type: B  
Weight: 69 g/m  
Breaking load: 2300 daN (kg)  
% of the sheath: 32%  
Strength with sewn terminations: 2200 daN (kg)



## RAIDER 11 mm



Type B semi-static ropes specially developed for rapid descent from helicopters by special forces. Their Aramid sheath does not melt, even against a descender overheated by the descent. Whereas classic ropes in polyamide or polyester have a very limited lifetime because their sheath melts, rendering the rope stiff and useless, RAIDER ropes permit multiple descents.

### DATA SHEET

Type: B  
Weight: 81 g/m  
Breaking load: 2600 daN (kg)  
% of the sheath: 41%  
Strength with sewn terminations: 2200 daN (kg)



## RAIDER TACTIC 11 mm



As with the 11 mm RAIDER rope, designed for multiple descents, the RAIDER TACTIC 11 mm is slightly more limited. The thickness of the Aramid sheath has been reduced, and the amount of core increased, in order for RAIDER TACTIC 11 mm to be certifiable as a Type A rope.

### DATA SHEET

Type: A  
Weight: 75 g/m  
Breaking load: 2400 daN (kg)  
% of the sheath: 30%  
Strength with sewn terminations: 2200 daN (kg)



## TOP GUN II



Dynamic ropes cushion impacts and must be used during certain interventions to absorb the energy of any falls.

### DATA SHEET

Type: ①  
Weight: 68 g/m  
Breaking load: 2100 daN (kg)  
% of the sheath: 40%  
Strength with sewn terminations: 1700 daN (kg)



## ACCESS 10,5 mm



Thanks to the UNICORE Process, ACCESS ropes reach a new level in security. By special order only.

### DATA SHEET

Type: A  
Weight: 65 g/m  
Breaking load: 3000 daN (kg)  
% of the sheath: 38%  
Strength with sewn terminations: 2400 daN (kg)



## INTERVENTION 9-11.5 mm



Semi-static ropes are endowed with moderate stretch to facilitate interventions and abseils at moderate speed.

### DATA SHEET

Type: 9 mm: B / 10 mm: A / 10,5 mm: A / 11 mm: A / 11,5 mm: A  
Weight: 9 mm: 51 g / 10 mm: 62 g / 10,5 mm: 65 g / 11 mm: 73 g / 11,5 mm: 78 g  
Breaking load: 9 mm: 1900 daN(kg) / 10 mm: 2400 daN(kg) / 10,5 mm: 3000 daN(kg) / 11 mm: 3200 daN(kg) / 11,5 mm: 3400 daN(kg)  
% of the sheath: 9 mm: 43% / 10 mm: 43% / 10,5 mm: 38% / 11 mm: 36% / 11,5 mm: 38%  
Strength with sewn terminations: 9 mm-10 mm: - / 10,5 mm-11 mm: 2400 daN(kg) / 11,5 mm: 2600 daN(kg)



Ref. SOFT FAST ROPE + SPLICE 18m: BFR60.EP  
SOFT FAST ROPE + DLT 18 m: BFR60.DLT  
SOFT FAST ROPE + SPLICE 27,5m: BFR90.EP  
SOFT FAST ROPE + DLT 27,5m: BFR90.DLT

## SOFT FAST ROPE

Its soft and flexible construction promotes a comfortable and precise descent. FAST ROPE is available with 2 types of terminations:

- **EYE SPLICE:** a large diameter splice, facilitating the deployment of the rope from scaffolding and larger beams, in order to simulate practice descents from helicopters.
- **DLT - Dynalite termination** (not available in France): lightweight textile termination, composed of a Dyneema slingspliced onto the rope end. Allows rapid fixing to most anchor points. At the moment of release the absence of metal in the termination eliminates the risk of injury to persons, or damage to boat bridges. The DLT termination must be checked before every use.



Ref. TEXTURIZED FAST ROPE + LOOP 18m: BFR60.L  
+ STEEL END 18m: BFR60.ST  
+ LOOP 27,5m: BFR90.L  
+ STEEL END 27,5m: BFR90.ST

## TEXTURIZED FAST ROPE

Its construction from completely textured strands makes the rope more slippery yet more durable.

- **POLYAMIDE SLING TERMINATION:** suitable for most anchors. No metal part that can cause injury.
- **METAL TERMINATION:** a crimped metal end piece allows the rope to be fixed to a helicopter.

# HARNESSES



Ref. size S: BHPSH1.BK  
size M-L: BHPSH2.BK  
size XL: BHPSH3.BK

## HERO PRO BLACK



A fall arrest and work positioning harness full black.

### STRONG POINTS

- X shaped shoulder straps increase comfort and ensure excellent load distribution.
- The padded shoulder straps are held apart to minimize neck chafing.
- The waist belt's two lateral attachment loops can be folded back to minimize hindrance.
- The dorsal attachment point is made from steel.
- Two opening release buckles (one per leg loop) enable the harness to be easily fitted even with cumbersome footwear. If needed, those buckles can be covered by a black textile for more discretion.
- 4 large, pre-shaped gear loops are positioned around the waist belt to easily accommodate all equipment.
- 6 mini gear loops can be used to attach AIR-LEASH or SUPER LEASH extendable tool holders or 3 tool pouches (TOOLBUCKET, GLASS-BUCKET or LONG TOOL BUCKET).
- A wide black elastic camouflages the quick buckles of the thighs.

### USES

► Police, tactical, shows, riggers.

Size	Weight	Material	Leg loop circumference
1 (S)	2065 g	Buckle: steel/aluminium Webbing: polyamide	50-65 cm
2 (M-L)	2125 g		55-65 cm
3 (XL)	2230 g		60-70 cm

## SHAOLIN

Rope access, rescue, fall arrest and work positioning light harness.

This harness benefits from a new technology in the PRO universe: the WEB CORE technology which provides exceptional comfort thanks to a perfect distribution of pressure on the waist and legs. WEB CORE is a large, thin, lightweight strap, laser cut to the shape of the harness. Result: a more compact and lightweight harness and above all more comfortable.



Ref. size S: BHPSH1  
size M-L: BHPSH2  
size XL: BHPSH3



### STRONG POINTS

- The ergonomic shape of the harness offers great freedom of movement for the thighs and hips.
- The low position of the ventral attachment ring offers excellent performance during rope ascents.
- Rear connection point for attaching either the YPSILON or AIRTOP chest harness
- 4 adjustment buckles, 5 organizer gear loops and 6 textile gear loops attach the elements of the WORK STATION.
- The rear leg loop elastics are replaceable.
- Traceability: identification area with QR code to create your own identification. (your name + your username)
- Compatible with the BEAL AIR TOP or YPSILON chest harness to convert to a full harness - EN 361.

- 2 possibilities to connect work positioning equipment:
  - a large ventral attachment ring allows connection of several carabiners and anchor/device lanyards.
  - two textile lateral work position belt connection points allow connection of an adjustable lanyard.
  - during a rescue situation the large ventral attachment allows for easy identification and use lateral attachment points – EN 358.

### USES

► Rescue, rope access, tactical and work at height.

Size	Weight	Material	Leg loop circumference	Waist circumference
1 (S)	700 g	Loop: aluminium Webbing: polyamide	42-60 cm	60-100 cm
2 (M-L)	760 g		52-70 cm	72-120 cm
3 (XL)	810 g		57-75 cm	85-140 cm



Ref. BHAT

## AIR TOP



Adjustable chest harness with figure of 8 shape for use with a HERO SIT or SHAOLIN sit harness. This comfortable harness ensures the user remains in an upright position during a fall.

### STRONG POINTS

- Figure of 8 shape provides freedom of movement and distributes pressure around the chest evenly.
- 2 adjustment buckles to adjust the length of the shoulder straps.
- A single adjustment buckle allows the sternal attachment point to be correctly positioned in relation to the user, regardless of their physique.
- A reinforced webbing fall arrest attachment point is ideal in confined spaces allowing progression without hindrance.
- Can easily be fitted with an elastic positioning strap for the chest ascender.
- Large elastic retainers help tidy the chest ascender's webbing.

### USES

► Work at height, industry, rescue, route setting.

Size	Weight	Waist circumference
one size	345 g	50-65 cm

## DANDY

Ultra light shoulder strap for positioning the HOLD UP chest ascender.

### STRONG POINTS

- Extremely light and compact.
- Compatible with the HOLD UP chest ascender.
- Easy to install.
- Quick and accurate adjustment.

### USES

► Rope access, route-setting, caving.

Ref. BHD.BK



# HELMETS



Ref. BKPS.BK

## SKYFALL

Ultra-light helmet in ABS material with internal suspended harness and polystyrene reinforcement for optimal energy absorption in case of impact.



EN 397:2012 + A1:2012  
+ chinstrap opening between 15 and 25 daN  
+ lateral deformation  
+ low temperature resistance (-40°C)  
+ molten metal

### STRONG POINTS

- Micro adjustable thanks to a precise adjustment dial.
- Slots for ear protector fixing.
- Security device release system between 15 and 25 daN in order to avoid strangulation.

### USES

- › Work at height, rescue, intervention, riggers.

Size	Weight	Material	Circumference mini	Circumference maxi
Universal	390 g	External shell: advanced thermo material (ABS) Internall shell: polystyrene (EPS)	54 cm	62 cm

## MERCURY

The MERCURY is a hybrid helmet featuring an ABS shell with a polystyrene liner.



EN 12492

Ref. BKM.BK

### STRONG POINTS

- Micro-adjustable thanks to a precise adjustment dial
- Large volume of the hull for optimum comfort and protection.
- Very good ventilation. 4 hooks to attach a headlamp are integrated into the helmet. Lateral perforations for fixation of hearing protection.
- Resistance of the chinstrap to 50 daN to avoid the loss of the helmet in case of shock.
- Removable and machine washable internal comfort foams.

- A magnetic closure of the chinstrap buckle for easy positioning and release even with gloves and one hand.

### USES

- › Work at height, rescue, intervention, riggers.

Size	Weight	Material	Circumference mini	Circumference maxi
Universal	432 g	ABS / polystyrene	51 cm	61 cm



+ PELTOR ADAPT  
Ref. BKPAM



Ref. BKM.G.BK

## MERCURY GROUP

The MERCURY GROUP is a robust helmet with an ABS outer shell, designed for intensive use in a group environment such as on high ropes courses. The inner liner is suspended and easily adjustable with a strong and simple buckle. The helmet is designed to be durable and easy to wash.



EN 12492

### STRONG POINTS

- Robustness.
- Easy to wash inner liner.
- Customization on demand.

### USES

- › Work at height, rescue, intervention, riggers.

Size	Weight	Material	Circumference mini	Circumference maxi
Universal	380 g	ABS / polystyrene	54 cm	61 cm

# BAGS

## COMBI PRO 40

Bag for professionals who require quick and easy access to their kit.

### STRONG POINTS

- Benefits from BEAL's 'QUICK RELEASE' system to accelerate access to the bag's contents via two back panel sections.
- Once opened, the bag can be folded out to reveal its neatly organised contents.
- Multiple internal dividers and gear loops improve the kit's layout.
- A clear, external panel can be personalised to promote identification or used to list the bag's contents.
- Ergonomic shoulder straps and waist belt.
- Sternum strap with emergency whistle.
- Hauling loop at the top of the bag.
- 1 lateral carry handle.
- Reflective and fluorescent patches.
- PVC 1100 g/m<sup>2</sup>.



Ref. BSAC.CP40.BK

Capacity	Weight	Height	Width
38 L	1960 g	60 cm	21 cm

## COMBI PRO 80

Ref. BSAC.CP60.BK

Bag for professionals who require a large volume, yet maintaining quick and easy access to their kit.

### STRONG POINTS

- Benefits from BEAL's 'QUICK RELEASE' system to
- Once opened, the bag can be folded out to reveal its neatly organised contents.
- Accelerate access to the bag's contents via two back panel sections.
- Multiple internal dividers and gear loops improve the kit's layout.
- The COMBI PRO 80's integrated rope bag contains a large ground sheet for immediate use of the rope without it twisting.
- A red buckle identifies the bottom end of the rope, whilst a green buckle identifies the top end.
- Lateral carry handle.
- Generously sized ground sheet 60 cm x 80 cm.
- A clear, external panel can be personalised to promote identification or used to list the bag's contents. Bag stores up to 60 m of rope.
- Ergonomic shoulder straps and waist belt.
- Sternum strap with emergency whistle.
- Hauling loop at the top of the bag.
- 1 lateral carry handle.
- Reflective and fluorescent patches.
- PVC 1100 g/m<sup>2</sup>.



Capacity	Weight	Height	Width
45 L	2500 g	60 cm	26 cm

# METAL

## CARABINERS



Ref. BMCLBL.BK

### BE LOCK BLACK



Symmetrical aluminium screw gate connector with large capacity and opening to accommodate multiple items. Its generous loading surface and HMS shape facilitate its use with Clove and Italian hitches.

#### STRONG POINTS

- Screw lock system. • Individual serial number.
- Keylock system. • Full black.

#### USES

› Work at height, industry, riggers.

Weight	Material	Breaking strength major axis	Resistance small axis	Resistance finger open	Opening	Measurements
86 g	Aluminium	26 kN	8 kN	8 kN	22 mm	Length: 121 mm Width: 76 mm

### O'LIGHT

Symmetrical aluminium oval shaped connector for use with equipment with swivelling and fixed side plates such as pulleys, rope clamps, mobile fall arrest devices, etc.



Ref. BMCOL

#### STRONG POINTS

- Screw lock system. • Individual serial number.
- Keylock system. • Full black.

#### USES

› Work at height, industry, riggers.

Weight	Material	Breaking strength major axis	Resistance small axis	Resistance finger open	Opening	Measurements
74 g	Aluminium	22 kN	8 kN	6 kN	17 mm	Length: 111 mm Width: 61 mm



Ref. BMCLFL

### FLAT LINK



Symmetrical carabiner for connecting the top and the bottom of a harness. Flat shape for perfect sling connection. The FLAT LINK has been designed to connect the chest ascender HOLD UP.

#### STRONG POINTS

- Double action 2-MATIC locking system.
- Individual serial number. • Keylock system.

#### USES

› Work at height, industry, riggers.

Weight	Material	Breaking strength major axis	Resistance small axis	Resistance finger open	Opening	Measurements
81 g	Aluminium	20 kN	10 kN	5 kN	15 mm	Length: 85 mm Width: 70 mm

## DESCENDERS

### AIR STOP

Auto-block descender with anti panic function for a single rope.



#### STRONG POINTS

- Maximum working load of 130 kg with 9 mm rope, and up to 200 kg with ropes from 10 to 12 mm.
- Unique serial number.
- Anti-panic function with 2 blocking positions.
- The maximum authorised speed of descent is 2 m/s.
- Long control lever for a more progressive feel.
- Rope can be inserted into device without unclipping it.
- Useable on a wide spread of rope diametres from 9 to 12 mm (EN12841-C).

Ref. BMDAS



### AIR FORCE 8

Classic, robust and easy to use belay device. It is compatible with a large range of rope diameters whether single, double or twin. The friction can easily be varied whatever the condition of the ropes (frozen, wet, different diameters...).

Ref: BMDAF8



Ref.  
BGRT.S.BK  
BGRT.M.BK  
BGRT.L.BK  
BGRT.XL.BK  
BGRT.XXL.BK

### ROPE TECH GLOVES

Hybrid gloves, half-leather palms, half breathable stretch fabric on the back.



#### STRONG POINTS

- Thin leather on the inside fingers for greater dexterity.
- The palm is reinforced precisely where the rope runs.
- The stretch textile on the back of the hand aids breathability and avoids sweating.
- Loop to clip the gloves to the harness.

EN 420 (2003) General requirements for protective gloves: safety, comfort and dexterity  
EN 388 (2003) Protective gloves against mechanical hazards 3343

# DISTRIBUTORS

## ARGENTINA

ANETO  
CUIT 30-71435017-6  
NECOCHEA 1286  
(1641) ACASSUSO  
BUENOS AIRES  
e-mail: aneto.argentina@gmail.com

## ASEAN Distribution Centre

ALLSPORTS EQUIPMENT  
52 UBI AVENUE 3  
04-44 FRONTIER  
SINGAPORE 408867  
Tel. +65 6848 9489  
Fax: +65 6242 2312  
e-mail: 0464@starhub.net.sg

## AUSTRALIA

SEA TO SUMMIT Pty Ltd.  
5 Eyre Street, Rivervale,  
Western Australia 6103  
Tel. +61 8 9221 661  
e-mail: enquiries@seatosummit.com.au  
Web: www.seatosummit.com.au

## AUSTRIA

Emberg - Am Puls der Leidenschaft  
Heinrich Haubner Straße 3  
5020 Salzburg  
Tel/Fax: +43 662 844 335  
office@emberg.net  
www.emberg.net

## BENELUX

CJ AGENCIES BV  
Postbox 537  
Hermesweg 28  
NL -3741 GP Baarn Netherlands  
Tel. +31 35 5424200  
Fax: +31 35 5415277  
e-mail: info@cjagencies.nl  
Web: www.cjagencies.nl

## BRAZIL

M. Arnaud & Cia Ltda - EPP  
Rua Alfredo Ortensi, 125 -  
Bragança Paulista - SP  
Tel. (11) 4032-8688  
Fax: (11) 4033-8687  
e-mail: contato@m-arnaud.com.br  
Web: www.m-arnaud.com.br

## BULGARIA

PIK 3000 ltd  
Sofia 1504  
rue Petra 7  
Tel. +359 2 84 32 943  
Fax: +359 2 94 33 664  
e-mail: office@pik3000.com  
Web: www.pik3000.com

## CHILE

JUST CLIMB - Soc. Ossher Ltda.  
Carlos XII 120 Loc. E  
LAS CONDES  
Santiago - Chile  
Tel. +56 2 22639499  
Fax: +56 2 22639499  
e-mail: justclimb@justclimb.cl  
Web: www.justclimb.cl

## CHINA

SNOWBIRD  
Fortum Garden, No.21, Baifuquan Road,  
Changping,  
Beijing, China (102200).  
Tel. +86 10 80118873  
Fax: +86 10 80118994  
Web: www.snowbird.com.cn

## COLOMBIA

NOMADA Cl Ltda  
Av. 1 de mayo 35 79  
Bogotá D.C.  
Tel. 57 1 720 4027 - 57 1 202 2929  
e-mail: info@nomadaoutdoor.com  
Web: www.nomadaoutdoor.com

## CROATIA

IGLU SPORT d.o.o  
Radnicka 1a, VB centar  
10000 ZAGREB  
Tel. +385 1 3700434  
Fax: +385 1 3777082  
e-mail: iglusport@iglusport.hr  
Web: www.iglusport.hr

## CYPRUS

LELLA KENTONIS INVESTMENT CO LTD  
11B DORIEON STR  
STROVOLOS 2023  
NICOSIA  
Tel. +357-22-312262  
Fax: +357-22-499396  
EMAIL: lkentonis@spidernet.com.cy

## CZECH REPUBLIC

TOTAL OUTDOOR s.r.o.  
Horní Rokytnice 470  
51244 Rokytnice nad Jizerou  
+420 773 491 880  
e-mail: info@beal.cz  
Web: www.beal.cz

## DENMARK

MOMENT TRADING  
Margrethelund 9  
2765 Smørum  
Tel. +45 42541090  
e-mail: info@momenttrading.dk

## EQUADOR

NOMADA Cl Ltda  
Av. 1 de mayo 35 79  
Bogotá D.C.  
Tel. 57 1 720 4027 - 57 1 202 2929  
e-mail: info@nomadaoutdoor.com  
Web: www.nomadaoutdoor.com

## FINLAND

VANDERNET OY  
Palkkaneentie 14  
FI-00510 HELSINKI  
Tel. +358 (0) 20 7418330  
Fax: +358 (0) 20 7418346  
e-mail: vandernet@vandernet.com  
Web: www.vandernet.com

## GERMANY

KRAH GmbH  
Brauhausstrasse 19  
D-82467 GARMISCH-PARTENKIRCHEN  
ALLEMAGNE  
Tel. +49 88 21 93 23 0  
Fax: +49 88 21 93 23 23  
e-mail: info@krah.com  
Web: www.krah.com

## GREECE

ACTIVE POINT SA  
65 Athinon Ave. (bystreet)  
1st floor  
10447 ATHENS  
Tel. +30.210.9210906  
Fax: +30.210.9220017  
e-mail: actpoint@otenet.gr

## HONG KONG

Hong Kong  
Mountaineering Training Centre  
102 prosperity building  
61 tung choi street Mongkok  
Changping - Hong Kong  
Tel. 852 27706746  
Fax: 852 27707110  
e-mail: hkmtc@hkstar.com  
www.hkmtc.com

## HUNGARY

Green Serpentine Kft.  
9400 Sopron  
Szelő u. 9.  
Hungary  
Tel. +36 99 523 294  
Fax: +36 99 523 295

## INDIA

Top Rock Equipments  
16, Satya Niketan (Ground floor)  
New Delhi 110021, INDIA.  
Tel. +9111-32970400,  
Fax: 26878888, 011 26878890.  
e-mail: jeanlucjbert@hotmail.fr  
e-mail: contact@toprockadventures.com  
Web: www.toprockadventures.com

## INDONESIA

TANDIKE  
JL CILEDU GRAYA N2 SESKOAL - CIPULIR  
KEBAYORAN LAMA  
JAKARTA 12230  
Tel. +62.21.7222666  
Fax: +62.21.7234999  
Web: www.tandike.com

## PT ALLSPORTS EQUIPMENT

Cosa Building 1st Floor  
Jl. Tomang Raya no. 70  
Jakarta Barat 11430  
Indonesia  
Tel. +62 21 5698 0972  
Fax: +62 21 5698 0973  
e-mail: sales@allsports.co.id

## IRAN

Kooh Veisi Trading Co.  
No. 86 Javad Kargar St.  
Bahar Shomali Ave.  
Zip Code: 15637-16518  
Tehran / IRAN  
Tel. +9821 77533173  
Fax: +9821 77520566  
e-mail: info@koohveisi.com  
Web: www.koohveisi.com

## ITALY

Commercial :  
Maqui di Fabrizio Vesco  
Email: maqui@outlook.it  
Tel. 334 7755330  
Area Tecnica : X Work di Marco Vallesi  
e-mail: marco@xwork.it  
Tel. 335 5494766  
Tel. +39 334 7755330

## ICELAND

STODIÆKI EHF.  
HVALEYRARBRAUT 35  
220 HAFNARFIRDI  
Tel. +354 51 09515  
e-mail: hillmar@explorers.is

JAPAN  
RESCUE PLANET, INC  
1-73-1-103, Mihashi, Omiya-ku,  
Saitama-city, Saitama, 330-0855  
Tel. (81)48-788-3602  
Fax: (81)48-788-3603  
e-mail: info@rescue-p.jp

## JORDAN

JORDAN CLIMBING - Part of Ibex  
Climbing  
Mecca street, Al kilo circle  
Building #110, 2nd floor  
Amman  
Tel. +962 6 5527774  
Fax: +962 6 5527724  
E-mail: info@ibexclimbing.com  
Web: www.ibexclimbing.com

## KASHMIR

B.U.Combines (BUC)  
Defense Engineering and High Altitude  
Warfare Tactical Equipment  
Opposite Old Battle Tank, Badami Bagh,  
NH1A - Srinagar, Jammu and Kashmir -  
190004 INDIA  
Phone: +911942467126; +919906501214; +919419001821  
e-mail: Ubaid Shah  
(ubaid@bucombines.com);  
Zain Shah zain@bucombines.com

## KOREA

COREALPINE CO. LTD  
#505-14 KOLON ASTERN BLDG 2TH FL.  
206-HO GASAN-DONG,  
GEUMCHEON-GU - 153-708 SEOUL  
Tel. 82 2 2082 8450-3  
Fax: 82 2 2082 8459  
e-mail: shara@mt.net.mk  
Web: www.vertikalssport.com.mk

## LATVIA

SIA "CLIMB MORE"  
Rožu iela 8-21, Babīte,  
Latvia, LV 2101  
Tel. +371 29492660  
e-mail: maris@virves.lv  
Web: www.virves.lv

## LEBANON

SHOGUN OUTDOOR  
Armenia Str. - Armenia Bldg  
Bourj-Hammoud - BEIRUT  
Tel. +961 1 261039  
Tel/Fax: +961 3 726676  
e-mail: info@shogunoutdoor.com

## LITHUANIA

UAB « LUKLA »  
Antakalnio st. 42-38  
LT-10304 Vilnius  
Tel. +370 (610) 32 831  
e-mail: info@lukla.lt  
Web: www.lukla.lt

## MALAYSIA

ALLSPORTS EQUIPMENT SDN BHD  
1 Utama Shopping Centre  
Lot F226, 1st Floor Promenade  
1 Lebuhr Bandar Utama  
47800 Petaling Jaya, Selangor  
Malaysia  
Tel. +60 (0)3 7728 0775  
Fax: +60 (0)3 7728 0776  
e-mail: alsports@yahoo.com

## MEXICO

Armando DATTOLI  
Tel. + 52 55 55 53 37 77  
Cel phone: +52 1 55 5501 1264

## NEPAL

PEAK PROMOTION TRADING Pvt. Ltd.  
P. O. Box: 5237,  
Thamel, Kathmandu, Nepal  
Tel. 977-1-4 249454  
Fax: 977-1-4 245137  
e-mail: peakgear@mos.com.np

## NEW ZEALAND

SOUTHERN APPROACH  
372 Cashel Street  
CHRIST CHURCH  
Tel. +64 3 3899760  
Fax: +64 3 3897640  
e-mail: service@southernapproach.co.nz

## NORWAY

Vari AS - Hasleveien 15E  
0571 Oslo  
Tel. 22719200  
Fax: 22719201  
e-mail: post@varri.no  
Web: www.varri.no

## POLAND

MFC TECH - Mnikow 389  
32-084 MORAWICA  
Tel. +48 607 606 567  
e-mail: info@beal.pl

## PORTUGAL

SUBMATE LDA.  
R. Cor. Bento Roma,  
Lote 920 - Loja Esq  
1700-122 Lisboa  
Tel. +351 21847 12 69  
Fax: +351 218403729  
e-mail: info@submate.pt

## REPUBLIC OF MACEDONIA

VERTIKAL SPORT  
Ul. Rajko Zinzifov, 40  
1000 SKOPIJE  
Tel. +389.2.3231.802  
Fax: +3892.3231802  
e-mail: shara@mt.net.mk  
Web: www.vertikalssport.com.mk

## ROMANIA

SPELEMAT  
str. Primariei nr. 9,  
410209 ORADEA  
Tel. +40259 431069;  
+40359 410557  
Fax: +40259 431069  
e-mail: contact@spelemat.ro  
Web: www.spelemat.ro

## RUSSIA

VERTICAL SPORT  
SHARI KOPODISHPNI KOVS KAYA  
STR 7-2 115088  
MOSCOW  
Tel/Fax: +7.495.674.2344  
e-mail: info@verticalsport.ru

## SERBIA AND MONTENEGRO & BOSNIA

AZIMUT PLUS d.o.o  
Visegradska 6, Belgrade  
Serbia  
Tel. +381(011) 3613604  
email outdoor.oprema@gmail.com  
www.outdoor-shop.rs

## SLOVAKIA

TOTAL OUTDOOR s.r.o.  
Horní Rokytnice 470  
51244 Rokytnice nad Jizerou  
CZECH REPUBLIC  
+420 773 491 880  
e-mail: info@beal.cz  
Web: www.beal.cz

## SLOVENIA

IGLU SPORT D.O.O  
Litostrojska 40 - 1000 Ljubljana  
Tel. + 386 (1) 24 12 760  
Fax: + 386 (1) 24 12 757  
e-mail: iglusport.si  
Web: www.iglusport.si

## SOUTH AFRICA

RAM MOUNTAIN ENGINEERING  
Unit 7 Old Mill Park,  
22 Old Mill Way, Ndebeni  
CAPE TOWN  
Tel. +27 21 532 0549  
Fax: +27 21 531 2844  
e-mail: info@rammountain.co.za  
Web: www.rammountain.co.za

## SPAIN

VERTICAL SPORTS S.L  
C/ Pere IV, 29-35, 3-1  
08018 Barcelona  
Tel. +34.93.309.10.91  
Fax: +34.93.485.09.49  
e-mail: info@vertical.es  
Web: www.vertical.es

## SWEDEN

C2 VERTICAL SAFETY AB  
BOR JEGATAN 78  
SE-752 29 UPPSALA  
Tel. +46- (0)18-67 79 90  
Fax: +46- (0)18-14 01 90  
e-mail: info@c2safety.com  
Web: www.c2safety.com

## SWITZERLAND

CASOAR SA - Route du Verney 20  
1070 Puidoux - Switzerland  
Tel. +41 (0)21 925 20 80  
Fax: +41 (0)21 925 20 89  
e-mail: info@casoar.com  
Web: www.casoar.com

## THAILAND

Rockcamp International Co., Ltd.  
50 Phuttamonton  
Sai 1 Road,  
Chimlee, Talingchan  
Bangkok 10170  
Tel. +662 887 9946  
Fax: +662 887 9947  
e-mail: rockcamp@thaiclimbing.com  
www.thaiclimbing.com

## TAIWAN

BAE YUEH MOUNTAIN  
AND SPORTS LTD  
No.456, Mincyuan 2nd Rd.,  
Cianjhen Dist.,  
Kaohsiung City 80654,  
Taiwan  
Tel. +886-7-3308399  
Fax: +886-7-3326931  
email: service@100mountain.com

## TURKEY

MEYDAN AV MALZEMELERI SAN  
& TIC LTD STI .  
Kemeralti Cad.  
SeKat Ishani Kat: 1-2  
No: 1-3 Karakoy  
34425 ISTANBUL  
Tel. +90 212 292 50 16  
e-mail: meydan@meydanav.com  
Web: www.meydanav.com  
www.meydankamp.com

## UKRAINE

EXTREME CENTRE  
Maryanenko 3  
61057 KHARKIV  
Tel. + 38 0572 588361  
Fax: + 38 0572 588362  
e-mail: info@extreme-centre.com  
Web: www.extreme-centre.com

## UNITED KINGDOM & IRELAND

BEALUK Limited  
Tel. +44 (0) 7725 792 741  
e-mail: justin@bealuk.com

## URUGUAY

VERANEX S.A.  
ZONA FRANCA LIBERTAD  
Manzana A, Predio A9  
Ruta 1 km 49 San José  
URUGUAY  
Tel. (0054) 11 47170284  
Fax: (0054) 11 47921935  
e-mail: info@veranex.com  
Web: www.veranex.com

## USA

LIBERTY MOUNTAIN  
9816 S. Jordan Gateway  
(500 West)  
SANDY UT 84070  
Tel. 801 954 0741  
Fax: 801 954 0766  
e-mail: salesstaff@libertymountain.com  
Web: www.libertymountain.com

## VIET NAM & CAMBODIA

Distributor:  
Vina Access / Vertical Academy  
18 Truc Duong, Thao Dien, D2,  
Ho Chi Minh City  
Tel. (08) 6281 9248  
www.vertical-academy.com

Retailer (North Viet Nam):  
VietClimb  
40 ngo 76 An Duong, Tay Ho,  
Ha Noi  
Tel. (04) 6682 4352  
www.vietclimb.vn

## BEAL

2, rue Rabelais - 38200 Vienne - FRANCE  
Tel. +33 (0)4 74 78 88 88 - Fax: +33 (0)4 74 85 27 76

commercial@beal-planet.com - www.beal-planet.com

